

# **Charter and Private Schools Youth Health and Wellness Coordination Call**

April 11, 2023

# Today's Topics

- Public Health updates
  - Wastewater, variants, vaccinations, & treatments
- CDPH & Cal OSHA
  - Review recent changes in guidance
  - Cal OSHA Review
  - Spring Testing Distribution
  - Summer Testing Ordering -serving school age children
  - Testing Update : When to Test
  - One Pill Can Kill and Song for Charlie
  - Upcoming Health Events- Flyers follow
- Resources

# SARS-CoV-2 Wastewater Monitoring

## Santa Clara County SARS-CoV-2 Wastewater Monitoring Dashboard

Monday, April 10, 2023



All Sewersheds within Santa Clara County

Visit

SARS-CoV-2 concentration levels from collected samples

San Jose Sewershed: **Medium**  
Palo Alto Sewershed: **Medium**  
Sunnyvale Sewershed: **Medium**  
Gilroy Sewershed: **Medium**


See below for more information on concentration levels

Time period of wastewater sample collection

Last 30 days


## Concentration of SARS-CoV-2 in Wastewater Samples

Sewershed ● Gilroy ● Palo Alto ● San Jose ● Sunnyvale



# SARS-CoV-2 Wastewater Monitoring


## San Jose




## Sunnyvale



## Palo Alto



## Gilroy



## Variant updates

Variant XBB.1.5 is still dominant across the country and locally. [The CDC estimates](#) that XBB.1.5 makes up about 88% of cases in the U.S. and about 90% of cases in California. [CDPH estimates](#) that XBB.1.5 makes up 98% of cases in the Bay Area.

## Vaccinations

Booster update! Children ages 6 months to 4 years old who completed their 3-dose monovalent Pfizer primary series *are now eligible* for a bivalent Pfizer booster. You can get vaccinated through your [local healthcare provider](#), [community drop-in clinics](#), or [myturn.ca.gov](https://myturn.ca.gov).

## Treatment

If you have COVID-19 symptoms and test positive, do not wait to get treated. [Get COVID medications for free by calling 1-833-686-5051 or visiting \[sesamecare.com/covid\]\(https://sesamecare.com/covid\).](#)

Appointments and medications are FREE, regardless of insurance or citizenship status. If you need help making an appointment, visit [www.sccgov.org/t2t](https://www.sccgov.org/t2t) OR email [ct2t@hhs.sccgov.org](mailto:ct2t@hhs.sccgov.org) with your name and phone number. Our team will call you within 24 hours.

# CDPH Guidance on Isolation

## Changes to Isolation Guidance

The California Department of Public Health (CDPH) [now advises](#) that a COVID positive person may **end isolation after five days if they feel well, have mild and improving symptoms, and are fever-free for 24 hours** without fever-reducing medication.

After isolation ends, masking is still recommended through Day 10. You may remove your mask sooner than Day 10 if your symptoms are mild and improving, you are fever free for 24 hours without fever-reducing medication, and you have two sequential negative tests at least one day apart.



State of California—Health and Human Services Agency  
**California Department of Public Health**



TOMAS J. ARAGÓN, M.D., Dr.P.H.  
State Public Health Officer & Director



March 3, 2023

**TO:** Local Health Jurisdictions

**SUBJECT:** Guidance for Local Health Jurisdictions on Isolation and Quarantine of the General Public

**Related Materials:** [Isolation and Quarantine Q&A](#) | [What to do if You Test Positive for COVID-19](#) | [What to Do if You Are Exposed to COVID-19](#) | [Cal/OSHA FAQs](#) | [All Guidance](#) | [More Languages](#)

**This guidance does NOT apply to healthcare personnel in settings covered by [AFL 21-08.9](#). It also does not apply to Emergency Medical Services personnel, who are permitted to follow the [Guidance on Isolation and Quarantine for Health Care Personnel in AFL 21-08.9](#). CDPH guidance for isolation and quarantine of Skilled Nursing Facility residents is specified in [AFL 22-13](#).**

*Local health jurisdictions may continue to implement additional requirements that are stricter than this statewide guidance based on local circumstances, including in certain higher-risk settings or during certain situations that may require additional isolation and quarantine requirements (for example, during active outbreaks in high-risk settings).*

**Updates effective March 13, 2023:**

- Removes recommendation to test in order to leave isolation before Day 10, if the individual is well with no symptoms, or symptoms are mild or improving and is fever-free for 24 hours.
- After ending isolation, persons may remove their mask sooner than Day 10 after two sequential negative tests one day apart.
- Updates definition of infectious period

California has used science to guide our health protection strategies throughout the pandemic. Data show that because of these strategies, lives have been saved. This is due in large part to the collective efforts of Californians to get vaccinated and boosted. COVID-19 vaccination and boosters remain the most important strategy to prevent serious illness and death from COVID-19.


In 2022, California announced the release of the state's SMARTER Plan, the next phase of California's COVID-19 response. While state and local leaders must continue to prepare for the future, California's path forward will be predicated on empowering individual, smarter actions, that will collectively

# Cal/OSHA COVID Prevention Standards Reminders

Employers may require employees to be vaccinated against. (Refer to Cal/OSHA FAQ [Vaccines](#) section, Question 4).

Employees are required to mask after returning from isolation through Day 10. (Refer to Cal/OSHA FAQ [Face Coverings](#) section, Question 3)

Employees are to required to report when positive COVID 19 and Employers are required to keep records of COVID cases at the workplace. (Refer to Cal/OSHA FAQ [COVID-19 Prevention](#))



The screenshot shows the top navigation bar of the Cal/OSHA website. It includes the CA.GOV logo, a home icon, and the text 'Press'. Below this is the 'DIR' logo for the State of California Department of Industrial Relations, established in 1927. A menu of services is displayed: Labor Law, Cal/OSHA - Safety & Health, Workers' Comp, Self Insurance, and Apprenticeship. The main content area features a breadcrumb trail: 'Cal/OSHA | COVID-19 Prevention Non-Emergency Regulations'. The title 'COVID-19 Prevention Non-Emergency Regulations' is prominently displayed in brown, with a 'español' link to its right. The introductory text states that on December 15, 2022, the Occupational Safety and Health Standards Board voted to adopt non-emergency COVID-19 prevention regulations, which took effect on February 3, 2023. A note specifies that these regulations apply to most workers in California not covered by the Aerosol Transmissible Diseases standard. A dark blue banner highlights 'Non-Emergency Standards', followed by a sub-header 'Non-Emergency Standards: Effective February 3, 2023'. A bulleted list details the standards: 3205. COVID-19 Prevention, 3205.1. COVID-19 Outbreaks, 3205.2. COVID-19 Prevention in Employer-Provided Housing, and 3205.3. COVID-19 Prevention in Employer-Provided Transportation.

CA.GOV

DIR State of California Department of Industrial Relations EST. 1927

Cal/OSHA - Safety & Health

Labor Law Workers' Comp Self Insurance Apprenticeship

Cal/OSHA | COVID-19 Prevention Non-Emergency Regulations

## COVID-19 Prevention Non-Emergency Regulations [español](#)

On December 15, 2022, the Occupational Safety and Health Standards Board voted to adopt non-emergency COVID-19 prevention regulations. These regulations took effect on February 3, 2023 and will remain in effect for two years after the effective date, except for the recordkeeping subsections that will remain in effect for three years.

These regulations include some of the same requirements found in the COVID-19 Prevention Emergency Temporary Standards (ETS), as well as new provisions aimed at making it easier for employers to provide consistent protections to workers and allow for flexibility if changes are made to guidance in the future from the California Department of Public Health.

Note: These regulations apply to most workers in California who are not covered by the [Aerosol Transmissible Diseases standard](#).

### Non-Emergency Standards

Non-Emergency Standards: **Effective February 3, 2023**

- COVID-19 Prevention – Non-Emergency Standards
  - [3205. COVID-19 Prevention.](#)
  - [3205.1. COVID-19 Outbreaks.](#)
  - [3205.2. COVID-19 Prevention in Employer-Provided Housing.](#)
  - [3205.3. COVID-19 Prevention in Employer-Provided Transportation.](#)

## CDPH Spring at-home rapid antigen tests available for pick @ SCCOE.

Weekdays from 8:00 a.m. – 3:30 p.m. Please contact Abir Charara @ [acharara@sccoe.org](mailto:acharara@sccoe.org) to arrange pick up.

Test allotments have been increased 15% for schools to distribute more tests to families who are un- or under-insured.

[Over the counter tests](#) will be available through CDPH for the rest of the school year. Order up to 12 weeks of tests for routine testing needs.



# At-home tests for K-12 Summer Programs



## **CDPH will be providing free OTC tests to Summer programs *servicing K-12 students.***

Eligible programs include:

- On-campus summer school or day camps.
- Overnight summer camps.
- Non-profit, faith-based, and athletic organizations and city run programs offering day camps or summer programs.

At-home tests can be requested now through **June 16, 2023, at 5pm**. No late orders will be fulfilled.

- ORDER HERE: <https://labsupport.powerappsportals.us/orderotc/>

## When to use AT-HOME COVID-19 TESTS



**If you feel sick:** Test! Test again 1-2 days later if first test is negative.

**Even if you DON'T feel sick, test in the following situations:**

- ☑ **AFTER you were exposed:**  
Test when you find out AND repeat testing every 2 days for a total of 3 tests.
- ☑ **AFTER travel or large gatherings:**  
Test when you return AND repeat testing every 2 days for a total of 3 tests.
- ☑ **BEFORE events or visiting:**  
Take a test just before events or visiting high-risk people (elderly or people with weakened immunity).

---

### Need more tests?

- Take your MediCal or Medicare card to the prescription drop-off counter at a pharmacy for 8 free tests **OR**
- Check with your insurance plan for up to 8 free (or reimbursed) at-home tests a month.
- Order 4 free COVID-19 tests per household from the US Post Office at: <https://special.usps.com/testkits>

---

### Positive Test?:

- **STAY HOME FROM SCHOOL**, let your school know, and follow their guidance!
- Ages 12-49 with medical conditions, or older than 50? Ask about FREE medications for COVID-19 that are safe and highly effective at preventing serious illness.  
Find treatment at <https://covid19.ca.gov/treatment>

### Negative Test but COVID-19 Symptoms?:

- **STAY HOME FROM SCHOOL** until you feel better and meet your school's criteria to return.
- Re-check with another COVID-19 test in 1-2 days.

# When to use at home COVID tests



**DEA**

United States Drug Enforcement  
Administration

## DEA Laboratory Testing Reveals that 6 out of 10 Fentanyl-Laced Fake Prescription Pills Now Contain a Potentially Lethal Dose of Fentanyl

The DEA Laboratory has found that, of the fentanyl-laced fake prescription pills analyzed in 2022, six out of ten now contain a potentially lethal dose of fentanyl. This is an increase from DEA's [previous announcement](#) in 2021 that four out of ten fentanyl-laced fake prescription pills were found to contain a potentially lethal dose.

[Read more about Lab testing](#)



Santa Clara County  
Office of Education



## FACTS ABOUT FENTANYL

Learn the FACTS. Accurate, unbiased information about illicit fentanyl and fake prescription pills reviewed by experts in law enforcement, prevention, harm reduction, recovery and more.

[GET THE FACTS](#)

## THE DRUG LANDSCAPE HAS CHANGED...

- Illegally made fentanyl\* dominates the street drug supply, causing record numbers of drug deaths in America.
- Drug users are frequently unaware that their drug contains fentanyl, an opioid 50X stronger than heroin.
- Street drugs like cocaine, ecstasy, heroin and meth often contain fentanyl, without the user's knowledge.
- Fentanyl is used to press fake prescription pills, sold deceptively as Xanax, Percocet, Oxycodone & more.
- Fentanyl is involved in 79% of Gen Z drugs deaths, higher than any other age group.



# REAL TALK ABOUT FAKE PILLS

## WHAT'S A "FENTAPILL"?

**NO RANDOM PILLS!** Here is the bottom line: You have to assume that any “prescription” pill you buy outside of normal channels is fake, and very possibly deadly.



## OUR MISSION

Growing up in our fast-paced world is stressful. **Song for Charlie** is a national family-run, nonprofit charity that encourages young people to choose healthy coping strategies over self-medication. We empower students to learn and share knowledge by providing research tools and promoting peer-to-peer learning programs.

Song for Charlie strives to share accurate, unbiased information about illicit fentanyl and the fake prescription pills that are easily accessible on social media and elsewhere today. The content below has been researched and comes from credible, documented resources. This document has also been reviewed by 10 experts with varied backgrounds, including law enforcement, prevention, harm reduction, recovery, and more.

If you have information that disproves our facts or if you have questions you would like us to research, please email us at [realtalk@songforcharlie.org](mailto:realtalk@songforcharlie.org).


# Santa Clara County confirms 1st 'tranq' death



- Xylazine, or "tranq" is a veterinary tranquilizer.
  - Often added to fentanyl or heroin to extend the drugs' effects.
  - No approved usage for humans.
  
- First confirmed case of an overdose with xylazine and fentanyl in Santa Clara County.
  - Xylazine overdoses more common on the east coast; may continue to be a westward expansion of xylazine.
  
- Xylazine and opioids often detected together in cases of xylazine toxicity.
  - Xylazine toxicity is not reversed by naloxone, but opioid toxicity still is.
  - **Naloxone should still be administered during a suspected overdose to reverse any opioid component.**
  
- Naloxone would not harm someone under the influence of Xylazine.

# SCCOE Naloxone Training Guide

[SCCOE Naloxone Training Guide 10.20.2022.pdf](#)



Santa Clara County  
Office of Education

## Applying for the Naloxone Statewide Standing Order

The statewide naloxone standing order was issued by the state Public Health Officer to allow community organizations and other entities in California that are not currently working with a physician to distribute naloxone to a person at risk for an opioid-related overdose or to a family member, friend, or another person in a position to assist. It was also issued to allow for the administration of naloxone by a family member, friend, or another person to an individual experiencing or reasonably believed to be experiencing an opioid overdose. Many community organizations may be willing to distribute naloxone but may find it challenging to obtain a physician's standing order. In addition, entities eligible to distribute naloxone, such as public health departments, harm reduction/syringe exchange programs, substance use disorder treatment providers, emergency services providers, and schools and universities, may use the statewide naloxone standing order to address their need for a prescription.

## Obtaining Naloxone Through the California Department of Health Care Services (DHCS)

The DHCS created the Naloxone Distribution Project (NDP) to address the opioid crisis by providing free naloxone to reduce the number of opioid-related deaths.

All schools applying to the NDP must submit a prescription or standing order for naloxone, as discussed in the previous section of this guide. Schools must submit the following materials for application approval:

## Upcoming Health Events- Flyers follow


- **Free Vision Clinic: Sunday, April 23, 9 a.m. – 5 p.m. at St. John Vianney Community Center, 4602 Hyland Avenue, San Jose**  
The Cupertino de Anza Lions club is hosting a free vision clinic with hopes to serve 500 people. Services include:
  - Issuing recycled eyeglasses.
  - Ordering new eyeglasses where necessary.
  - Arranging ongoing treatment or surgery through the Lions Eye Foundation in San Francisco.
- **The Public Health Hub/La Plaza de Salud Pública April Resource Fair: Friday, April 28th 1:30 p.m. – 4:30 p.m at the Story Road Hub, 1775 Story Road, Suite. 120, San Jose**  
These monthly resource events support partner agencies to reach communities in need of services for recovering from the impacts of COVID-19. In this safe space, community residents can connect and learn about and access available resources and receive the vaccines against COVID-19 and the flu. Please pass out the attached flyers to your networks.
- **Silicon Valley Health Smiles May 20-21, 2023 6 am-4 pm.**  
San Jose Convention Center, South Hall  
435 South Market Street, San Jose, CA  
Services include cleanings, fillings, extractions, root canals (front teeth) and stayolaes (retainer-like appliances to replace front teeth). Prescreen patients on Friday May 19, beginning at 3 pm. Lean more at [www.sccdf.org/svhs](http://www.sccdf.org/svhs)

# GRATIS

## Clinica de ojos

Domingo, 23 de Abril, 2023  
(9:00 a.m. to 5:00 p.m.)

Ubicado en St. John Vianney  
Centro Comunitario, 4602  
Hyland Avenue, San Jose



### Servicios incluyen:

- Consulta con un optómetra
- Examen de visión & Glaucoma
- Anteojos reciclados
- Otros servicios de ojos


**NO SE REQUIERE SEGURO MEDICAL  
O DOCUMENTACION**

# FREE

## Eye Clinic

Sunday, April 23, 2023  
(9:00 a.m. to 5:00 p.m.)

Located at St. John Vianney  
Community Center, 4602  
Hyland Avenue, San Jose



### Services Include:

- Eye Doctor Consultation
- Vision & Glaucoma testing
- Recycled Eyeglasses
- Other eye-related services

**NO MEDICAL INSURANCE OR  
DOCUMENTATION REQUIRED**

## Para Unete:

- Elija  
9, 10, 11 aM, 12, 1, 2, 3, 4 pM
- Envía un mensaje de texto  
con nombre de pila, número de  
pacientes, hora del día al  
**(408) 596-3692**

## To Sign Up:

- Choose a time from  
9, 10, 11 AM, 12, 1, 2, 3, 4 PM
- Send a text containing  
First Name, number of  
patients, hour of the day to  
**(408) 596-3692**

Patrocinado por el Cupertino De Anza Lions Club  
Sponsored by Cupertino De Anza Lions Club  
(A 501(c)(3) Non-profit Organization)

and by Lions in Sight





Santa Clara County  
**PUBLIC HEALTH**



## **PUBLIC HEALTH HUB: RESOURCE FAIR** **LA PLAZA DE SALUD: FERIA DE RECURSOS**

We will offer vaccines,  
food boxes, and  
resources from local  
agencies. All free.

Friday, April 28, 2023  
1:30 pm - 4:30 pm

Ofreceremos vacunas,  
cajas de comida, y  
recursos de agencias  
locales. Todo gratuito.

viernes, 28 de abril de  
2023  
1:30 pm - 4:30 pm

**FREE DENTAL CARE**

**May 20-21, 2023**

**6 am – 4 pm**

San Jose Convention Center, South Hall  
435 South Market Street, San Jose, CA



**SILICON VALLEY  
HEALTHY SMILES**

Services include cleanings, fillings, extractions, root canals (front teeth) and stayplates (retainer-like appliances to replace front teeth)

We will prescreen patients on Friday, May 19, beginning at 3 pm

**Learn more at [www.sccdf.org/svhs](http://www.sccdf.org/svhs)**



# REFERENCES & RESOURCES



# Flowcharts

[COVID-19 Guidelines for the General Public - Emergency Operations Center - County of Santa Clara \(sccgov.org\)](https://www.sccgov.org/health/COVID-19-Guidelines-for-the-General-Public)

Home > COVID-19 Guidelines for the General Public

## COVID-19 Guidelines for the General Public

English 中文 Español Tiếng Việt Tagalog

Last content update: 3/22/23

COVID-19 Guidelines for the General Public COVID-19 Guidelines for Staff and Residents in High-Risk Settings

If you have tested positive for COVID-19 or are experiencing symptoms, use our [COVID-19 Guidelines Flowcharts](#) to learn what to do:

COVID-19 Guidelines Flowcharts | [English](#) | [Chinese](#) | [Spanish](#) | [Vietnamese](#) | [Tagalog](#) |

*Description: These flowcharts provide basic instructions on isolation and testing for the general public. If you have tested positive for COVID-19, were exposed, or have symptoms, use these flowcharts to learn what to do.*

**I tested positive for COVID-19**  
What do I do?

**I was exposed to someone with COVID-19**  
What do I do?

**I have symptoms of COVID-19**  
What do I do?

Figure 1. I tested positive for COVID-19, what do I do?

Figure 2. I was exposed to someone with COVID-19, what do I do?

Figure 3. I have symptoms of COVID-19, what do I do?

# I tested positive for COVID-19

What do I do?



## ISOLATION



### Stay home for at least 5 days.

Day 0 is the day symptoms started (or the date of your positive COVID-19 test, if you do not have symptoms).

Visit [sccgov.org/t2t](https://www.sccgov.org/t2t) to learn about treatment options.

Do you have symptoms at Day 5?

YES

NO

Have you been fever-free for 24 hours (without fever-reducing medication) and are your symptoms mild and improving?

NO

YES



### Continue to stay home...

Until Day 10 **OR** until you are fever-free for 24 hours (without fever-reducing medication) and symptoms are mild and improving.



### End isolation after Day 5.

Wear a mask through Day 10 **OR** until you take a total of 2 negative tests, with at least 1 day in between tests.



# Tested positive

[covid19.sccgov.org](https://www.covid19.sccgov.org)

Santa Clara County  
**PUBLIC HEALTH**

# I was exposed to someone with COVID-19

What do I do?



## CLOSE CONTACTS

Do you have symptoms?

YES

Follow SYMPTOMS guidance.

NO



You **DO NOT** need to quarantine, but...

Get tested 3-5 days after last exposure.  
Wear a mask for 10 days.

Did you test positive?

YES

Follow ISOLATION guidance.

NO



Continue normal activities.

Wear a mask through Day 10.



## Close contact

[covid19.sccgov.org](https://covid19.sccgov.org)

Santa Clara County  
**PUBLIC HEALTH**

# I have symptoms of COVID-19

What do I do?



## Symptomatic

### SYMPTOMS

**GO HOME RIGHT AWAY.**  
Get tested and stay home until you get your results.

Did you test positive?

**YES**

Follow ISOLATION guidance.

**NO**

Have you been fever-free for 24 hours (without fever-reducing medication) and are your symptoms mild and improving?

**YES**

Are you a close contact?

**YES**

Resume your normal routine **AND** get tested 3-5 days after last exposure.  
Wear a mask for 10 days.

**NO**

Resume your normal routine.

**NO**

**Stay home and repeat testing every 1-2 days.**  
You no longer need to stay at home if tests remain negative, you've been fever-free for 24 hours (without fever-reducing medication), and other symptoms are mild and improving.

[covid19.sccgov.org](https://covid19.sccgov.org)



## Cal/OSHA Consultation line


- If you are an employer who wishes to obtain assistance from Cal/OSHA Consultation, or want to learn more about what services are available, you can do so by calling the toll-free assistance number, **1 (800) 963-9424**.
- If you want to arrange an on-site visit or obtain technical information, you can contact the Cal/OSHA Consultation area office nearest your workplace or you can email us at [InfoCons@dir.ca.gov](mailto:InfoCons@dir.ca.gov).

# Vaccination stats


COUNTY OF SANTA CLARA POPULATION

# Vaccination percentages for children in Santa Clara County

Number of eligible residents who have completed primary series vaccinations



Number of eligible residents who have received updated bivalent booster



## Updated COVID booster

**AN UPDATED COVID-19 VACCINE  
HELPS SAVE LIVES**

Vaccinated people\* who received an **updated COVID-19 vaccine** were

**14X less likely to die**  
compared with those who received  
no vaccine

**3X less likely to die**  
compared with those who received  
only the original COVID-19 vaccine(s)

People ages 12+ who got their last COVID-19 vaccine dose  
before **September 2022** should get an updated vaccine

\* Completed the original COVID-19 vaccine primary series and/or original booster(s)

[bit.ly/mm7206a3](https://bit.ly/mm7206a3)  
FEBRUARY 10, 2023


### Study looked at

- 21 million cases
- 115 thousand deaths
- 24 jurisdictions

[COVID-19 Incidence and Mortality Among Unvaccinated and Vaccinated Persons Aged ≥12 Years by Receipt of Bivalent Booster Doses and Time Since Vaccination — 24 U.S. Jurisdictions, October 3, 2021–December 24, 2022 | MMWR](#)

# COVID cases by vaccine status

Unvaccinated individuals are **12.6x** more likely to become infected with COVID.



# OTC Testing Expiration Extension Resources

## [COVID-19 Antigen Self-Test Expiration Extensions](#)

## [InteliSwab COVID-19 Rapid Test Extension](#)

## [FDA At-Home OTC COVID-19 Diagnostic Tests Extensions](#)




March 4, 2022  
Reviewed and renewed July 7, 2022

**COVID-19 Antigen Self-Test Expiration Extensions**

The California Department of Public Health endorses the emergency use of over-the-counter COVID-19 Tests *beyond* their FDA authorized expiration. This blanket extension, subject to appropriate internal control development\* during testing, is valid until CDPH posts that the emergency extension has ended, at which point participants should cease using tests beyond their printed expiration dates.

The emergency extension applies to all FDA authorized over-the-counter COVID-19 tests, including:

- **Abbott BinaxNOW™ COVID-19 Antigen Self-Test**
- **AccessBio CareStar™ COVID-19 Antigen Self-Test**
- **ACON Flowflex™ COVID-19 Antigen Self-Test**
- **iHealth™ COVID-19 Antigen Rapid Test**
- **On/Go™ COVID-19 Antigen Self-Test**

\*The internal control line after test development should be both color specified by the specific test instructions.

Manufacturer and Test Name (links to instructions for use)	Who can use this test: Symptoms	Who can use this test: Age	Other Details	Expiration Date
Abbott Diagnostics Scarborough, Inc.: <a href="#">BinaxNOW COVID-19 At-Home Self-Test</a> 	<ul style="list-style-type: none"> <li>• People with symptoms that began within the last 7 days. The test is to be performed two times over three days (serial testing).</li> <li>• People without symptoms. The test is to be performed three times over five days (serial testing).</li> </ul>	<ul style="list-style-type: none"> <li>• Age 15 years and older</li> <li>• Age 2 years and older when collected by an adult</li> </ul>	<ul style="list-style-type: none"> <li>• Antigen test</li> <li>• Nasal swab</li> <li>• Requires supervision of a healthcare provider and a smartphone or computer</li> <li>• Results in 15 minutes</li> </ul>	<ul style="list-style-type: none"> <li>• Shelf Life: 15 months (extended)</li> <li>• Expiration Date: <a href="#">See link for list of available expiration dates</a></li> </ul>
Abbott Diagnostics Scarborough, Inc.: <a href="#">BinaxNOW COVID-19 Antigen Self-Test</a> 	<ul style="list-style-type: none"> <li>• People with symptoms that began within the last 7 days. The test is to be performed two times over three days (serial testing).</li> <li>• People without symptoms. The test is to be performed three times over five days (serial testing).</li> </ul>	<ul style="list-style-type: none"> <li>• Age 15 years and older</li> <li>• Age 2 years and older when collected by an adult</li> </ul>	<ul style="list-style-type: none"> <li>• Antigen test</li> <li>• Nasal swab</li> <li>• Smartphone optional</li> <li>• Results in 15 minutes</li> </ul>	<ul style="list-style-type: none"> <li>• Shelf Life: 22 months (extended)</li> <li>• Expiration Date: <a href="#">See link for list of available expiration dates</a></li> </ul>
Access Bio, Inc.: <a href="#">CareStar COVID-19 Antigen Home Test</a>  Alternate brand name: 	<ul style="list-style-type: none"> <li>• People with symptoms that began within the last 7 days</li> <li>• People without symptoms. The test is to be performed two times over three days (serial testing)</li> </ul>	<ul style="list-style-type: none"> <li>• Age 14 years and older</li> <li>• Age 2 years and older when collected by an adult</li> </ul>	<ul style="list-style-type: none"> <li>• Antigen test</li> <li>• Nasal swab</li> <li>• Smartphone optional</li> <li>• Alternate brand name: On/Go COVID-19 Antigen Self-Test</li> <li>• Results in 10 minutes</li> </ul>	<ul style="list-style-type: none"> <li>• Shelf Life: 21 months (extended)</li> <li>• Expiration Date: <a href="#">See link for list of available expiration dates</a></li> </ul>

# Charter and Private Schools' COVID-19/ Youth Wellness Coordination Meeting Schedule

- June 6, 2023

# COVID 19 Designees 2023 Meeting Schedule

- April 20th
- May 4th
- May 18th
- June 1st
- June 15th
- June 29th

Office Hours are held in the weeks between meetings.

# Thank you!

## David Putney, Ed.D.

Director, Office of the Superintendent  
Santa Clara County Office of Education  
1290 Ridder Park Drive MC 213  
San Jose, CA 95131-2304

(408) 453-6721 (office)

(707) 292-3162 (cell)

[David\\_putney@sccoe.org](mailto:David_putney@sccoe.org)

Strategic - Achiever - Competition - Futuristic – Ideation

## Connect with SCCOE

- Social Media  
- [IMPACT Weekly](#)
- [www.sccoe.org](http://www.sccoe.org)